

● PRINTER RUSH ●

(PTO ASSISTANCE)

(E-Fix)
Query Check

Application :

09/883554

Examiner :

Dorong, Du

GAU :

2663

From:

JFC

Location:

ICD FMF **FDC**

Date:

6/21/2005

Tracking #:

X

Week Date:

+

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>06/16/2001</u>	

[RUSH] MESSAGE: Figures 7 and 8 are cited in the detailed description, but are not shown in the 06-16-2001 drawings or cited in the brief description. Please resolve.

(See page 4, line 20)

Thank You

[XRUSH] RESPONSE: The discrepancy was correct with an examiner's amendment. After speaking with the applicant, figures 7&8 was noted as a typo error. Thus, the specification was amendment to correct the typo error.

INITIALS: DD

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04